

Installing USB driver instruction

1. Installing the matching USB driver:

Serial port: No needed to install the UBS driver, but directly connecting PC and Transceiver with the serial port programming cable and do the programming.

USB port: It is necessary to install the USB driver before you do the programming via the USB programming cable.

2. The main steps for the installing:

- a. Select the matching USB driver according to the different operating systems of your personal computer.

Windows 2000/XP:

<http://www.wouxun.com/DownView.asp?ID=135&SortID=4>

Windows 7/ Vista:

<http://www.wouxun.com/DownView.asp?ID=99&SortID=4>

- b. Unzip the USB driver file, you will see the four sub files as below:



PL-2303H_HX_X
simple tes...



SetCOM.exe



setup.exe



USB TO RS232
Cable for Wind...




USB TO RS232
Cable for Wind...


- c. Double click the " setup.exe " application and then start the installing.



- d. When the installing starts, there leas the below page, click “Continue” to move on the installing.



- e. There needs some time to pause for the installing, then it moves on to the page which is prompt that the USB driver completes installing, click “Finish” to finish the installing process.



NOTE:

Please note that if the USB driver was installed previously, when you install the application, there will be a page about the installing mode: Re-install the application (Updating), Remove the application, and Exit from the installing. Please choose one mode and click "Continue" as needed.



After you finish the re-installing, there will be a page which is prompt for the successful installing, and options: Yes, immediately re-start the computer OR No, later to re-start the computer, then click “Finish” to exit from the application.

